

ARTICLE 11
SIGN REGULATIONS

11.01 Purpose

The Sign Regulations provide standards for communicating information in the environment of the Douglas County jurisdiction. The regulations recognize the need to protect public health, safety, and welfare; to maintain the county's attractive appearance; to provide for adequate business identification, advertising, and communication of information; and to encourage the fair enforcement of sign regulations.

The general intent is to provide for signs that are at ground level or attached to buildings or other structures and do not exceed the height of existing or proposed buildings or other structures in order to reduce visual clutter of developments.

11.02 Definitions of Terms


The following definitions shall be used for terms contained in this chapter that are not otherwise defined in this Zoning Regulation:

- A. Abandoned Sign: A sign, including sign face and supporting structure, which refers to a discontinued business, profession, commodity, service, or other activity or use formerly occupying the site; or which contains no sign copy on all sign faces for a continuous period of six months.
- B. Attached Sign: A sign which is structurally connected to a building and/or depends upon that building for support.
- C. Awning and Awning Sign: A temporary or movable shelter supported entirely from the exterior wall of a building and composed of non-rigid materials, except for a supporting framework. An awning sign is a message printed on such a shelter.
- D. Banner: Material with a printed message or graphic secured or mounted from a structure in such a way as to allow wind movement.
- E. Building Marker: An historic or commemorative plaque, or a building name or cornerstone carved into a masonry surface.
- F. Business Center Identification Sign: A sign which identifies a building or group of commercial buildings in single ownership or control, sharing parking and access.
- G. Canopy: A projecting non-movable structure cantilevered or suspended from a building, supported by the main structural members to which it is attached, and used only as a roof or fixed shelter.

- H. Canopy Sign: A sign which is attached or made an integral part of a canopy.
- I. Clearance: The distance from the bottom of a sign face elevated above grade and the grade below.
- J. Detached Sign: A sign which is self-supporting and structurally independent from any building.
- K. Directional Sign: A sign which serves only to designate the location or direction of any area or place.
- L. Double-Faced Sign: A sign consisting of no more than two parallel faces supported by a single structure.
- M. Flag, Business: A flag displaying the name, insignia, emblem, or logo of a profit-making entity.
- N. Flag, Public: A flag displaying the name, insignia, emblem, seal, or pattern of a nation, State, county, municipality, or nonprofit organization.
- O. Frontage: The length of a property line of any one premises abutting and parallel to a public street, private way, or court.
- P. Ground Sign: A detached on-premise sign built on a freestanding frame, mast, or pole(s) with a clearance no greater than 3 feet.
- Q. Illumination: Lighting sources installed for the primary purpose of lighting a specific sign or group of signs.
- R. Informative Sign: An on-premise sign that provides an instruction or direction to the public, but contains no other advertising, message, or decoration.
- S. Marquee: A permanent roofed structure attached to and supported by a building and extending over public right-of-way.
- T. Maximum Permitted Sign Area: The maximum permitted combined area of all signs allowed on a specific property.
- U. Monument Sign: An on-premise freestanding sign with the appearance of a solid base. The width of such base shall be at least 75 percent of the width of the sign.
- V. Moving Sign: A sign which conveys its message through rotating, changing, or animated elements.

Sign Regulations

- W. Nonconforming Sign: A sign that was legally erected prior to the adoption of this chapter but which violates the regulations of this chapter.
- X. Pole Sign: An on-premise or off-premise sign built on a freestanding frame, mast, or pole(s) with a clearance greater than 3 feet, and where the support encompasses less than 75% of the width of the sign.
- Y. Portable Sign: Any sign supported by frames or posts rigidly attached to bases not permanently attached to the ground or a building and capable of being moved from place to place.
- Z. Premise Identification Sign: Any sign which pertains to the use of a premises and which contains information about the owner or operator of that use; the type of business being conducted or the principal brand name of a commodity sold on the premises; and other information relative to the conduct of the use.
- AA. Premises: A tract of one or more lots or sites which are contiguous and under common ownership or control.
- BB. Projecting Sign: A sign other than a wall sign that is attached to and projects from a building face.
- CC. Residential Sign: A small detached or attached sign located on a residential premise, conveying a message communicated by the owner of the property.
- DD. Roof Sign: Any sign or part of sign erected upon, against, or directly above a roof or on top of or above the parapet or cornice of a building.
- EE. Integral Roof Sign: A roof sign positioned between an eave line and the peak or highest point on a roof, substantially parallel to the face of a building.
- FF. Above-peak Roof Sign: A roof sign positioned above the peak of a roof or above a parapet or cornice.
- GG. Sign: A symbolic, visual device fixed upon a building, vehicle, structure, or parcel of land which is intended to convey information about a product, business, activity, place, person, institution, candidate, or political idea.
- HH. Sign Type: A functional description of the use of an individual sign. Includes owner



identification, advertising, directional, electronic message, and temporary.

- II. Street Facade: Any separate external face of a building, including parapet walls and omitted wall lines, oriented to and facing a public street, private way, or court. Separate faces oriented in the same direction or within 45 degrees of one another are considered part of the same street facade.
- JJ. Temporary Signs: A sign, flag, banner, pennant, or valance constructed of light weight materials which is not permanently attached to building or land, and which is intended for display for a limited period of time
- KK. Wall Sign: A sign attached to and parallel with the side of a building.
- LL. Window Sign: A sign painted on or installed inside a window for the purpose of viewing from outside the premises.
- MM. Zone Lot: A parcel of land in single ownership that is large enough to meet the minimum zoning requirements of its zoning district and can provide such yards and other open spaces that are required by the site development regulations.

11.03 General Sign and Street Graphics Regulations

A. Compliance

Each sign or part of a sign erected within the zoning jurisdiction of Douglas County must comply with the provisions of this chapter and of other relevant regulations. .

B. Regulation of Conflicting Regulations

This chapter is not meant to repeal or interfere with enforcement of other sections of the Douglas County Regulations. In cases of conflicts between Douglas County, State or Federal Regulations, the more restrictive regulations shall apply.

C. Prohibited Signs

The following signs are prohibited in all zoning districts:

1. Signs painted on or attached to rocks, trees, or other natural objects.
2. Signs or sign structures which resemble or conflict with traffic control signs or devices, which mislead or confuse persons traveling on public streets, or which create a traffic hazard.
3. Signs on public property and/or a street right of way, unless specifically authorized by the appropriate public agency.

4. Signs which create a safety hazard by obstructing the clear view of pedestrians or vehicles, or which obscure official signs or signals.
5. Abandoned signs: Any abandoned sign must be removed within six months of date of abandonment.
6. Portable signs, including signs painted, mounted, or printed on parked vehicles and trailers.
7. Signs that are not clean or in substantial good repair, or are not affixed to a sound structure.
8. Signs advertising activities that are illegal under Federal, state, or local laws and regulations.
9. Pole signs.
10. Roof signs

D. Exempt Signs

The following signs are permitted in any zoning district and are exempt from other provisions of this chapter:

1. Bulletin boards for religious assembly or school uses, provided that they have a maximum sign area of 20 square feet and are not located in a required sign setback.
2. Real estate signs measuring no more than 9 square feet.
3. Official signs authorized by a government or governmental subdivision which give zoning, traffic, directional, warning, or other public information.
4. Seasonal decorations for display on private or public property.
5. On-premise construction signs.
6. Temporary signs for grand openings or special events.
7. Works of graphic art painted or applied to building walls which contain no advertising or business identification messages.
8. Residential signs under 4 square feet in size.

9. Street numbers.
10. Signs which are not visible from a public right of way, private way, or court or from a property other than that on which the sign is installed.

E. Bufferyards

No sign other than on-premise directional signs shall be placed within any bufferyard required by Article Nine, Landscaping and Screening Regulations, except bufferyards adjacent to intervening major streets.

F. Vision-Clearance Area

No sign may project into or be placed within a vision-clearance area defined by a triangle with legs of forty feet from the point at which the curbs or edges of two intersecting streets, private ways, or courts or an intersecting street, private way, or court and driveway, meet.

11.04 General Regulations: Basic Design Elements for On Premise Signs

A. Wall Signs and Graphics: Wall signs and graphics are subject to the following general regulations.

1. A wall sign shall not extend more than 30 inches from the wall to which it is attached.
2. A wall sign must be parallel to the wall to which it is attached.
3. A wall sign may not extend beyond the corner of the wall to which it is attached, except where attached to another wall sign, it may extend to provide for the attachment.
4. A wall sign may not extend beyond its building's roof line.
5. A wall sign attached to a building on its front property line may encroach upon public right-of-way by no more than 18 inches. Such a wall sign shall provide minimum clearance of eight feet, six inches.
6. For the purpose of calculating permitted sign areas pursuant to this chapter, signs painted on the walls of buildings shall be considered wall signs.
7. Where permitted, canopy signs are counted as wall signs when calculating total permitted sign area.

B. Projecting Signs and Graphics

Projecting signs and graphics are subject to the following general regulations.

1. The maximum projection of any projecting sign shall be as follows:
 - a. 6 feet, 6 inches over public sidewalks less than 12 feet wide;
 - b. 8 feet over public sidewalks 12 feet wide or more, or over private property.
2. A projecting sign may be no closer than two feet from the vertical plane of the inside curb line.
3. Each projecting sign must maintain at least the following vertical clearances:
 - a. 8 feet, 6 inches over sidewalks; except that a canopy may reduce its vertical clearance to 7 feet, 6 inches;
 - b. Ten feet for signs located outside of driveways or parking areas, but within three feet of such areas; or within 50 feet of the right-of-way lines formed by the intersection of two or more streets;
 - c. 14 feet over parking lots;
 - d. 18 feet over alleys or driveways.
4. No projecting sign extending three feet or more from a property line may be located within 22 feet of any other projecting sign extending three feet or more from a property line.
5. Projecting signs must minimize visible support structure and may not expose guy wires, cables, turnbuckles, angle iron, or other similar external support structure.

11.05 General Regulations: Other Design Elements

A. Illumination:

1. Lighting, when installed, must be positioned in such a manner that there is no light trespass onto an adjoining property or onto a public street or highway.

B. Marquees and Marquee Signs: Signs placed on, attached to, or constructed on a marquee are subject to the maximum projection and clearance regulations of projecting signs.

- C. Banners
 - 1. A banner sign projecting from a building may not exceed the wall height of the building.
 - 2. Maximum projection for any banner is five feet, with a minimum clearance of ten feet.
 - 3. Maximum size of a banner is the lesser of twice the permitted size of a projecting sign or 120 square feet.
- D. Clocks: For the purposes of this chapter, clocks are not considered a moving sign.

Sign Regulations

TABLE 11-1: PERMITTED SIGNS BY TYPE AND ZONING DISTRICT

Sign Type	AG	RR-1 RR-2	R-1	R-2	R-3	MH	MU-1	MU-2	MU-3	LI	GI
Detached Signs											
Residential	P	P	P	P	P	P	P	P	N	N	N
Business Identification	P	P	P (C)	P (C)	P	P	P (C)	P	P	P	P
Incidental	P (C)	P (C)	P (C)	P (C)	P (C)	P (C)	P (C)	P (C)	P	P	P
Ground	P	P	P	P	P	P	P	P	P	P	P
Pole	N	N	N	N	N	N	N	N	N	N	N
Attached Signs											
Awning	N	N	N	N	P	P	P	P	P	P	P
Banner	N	N	N	N	N	N	N	P	P	P	P
Building Marker	P	P	P	P	P	P	P	P	P	P	P
Canopy	N	N	N	N	N	N	N	P	P	PP	P
Business Identification	P	P (C)	P (C)	P (C)	P	P	P	P	P	P	P
Incidental	P (C)	P (C)	P (C)	P (C)	P	P	P	P	P	P	P
Marquee	N	N	N	N	N	N	N	P	P	P	P
Projecting	N	N	N	N	N	N	N	P	P	P	P
Roof, Integral	N	N	N	N	N	N	N	N	N	N	N
Roof, Above Peak	N	N	N	N	N	N	N	N	N	N	N
Wall	P	P	P	P	P	P	P	P	P	P	P
Window	N	N	N	N	N	N	N	P	P	P	P
Miscellaneous											
Fl a g	P	P	P	P	P	P	P	P	P	P	P
Portable	N	N	N	N	N	N	N	N	N	N	N

P = Permitted for All Uses P(C) = Permitted for Civic Uses N = Not Permitted

Sign Regulations

TABLE 11-2: MAXIMUM PERMITTED SIGN AREA FOR ZONE LOT BY ZONING DISTRICT								
<i>The Maximum Permitted Area for all signs on a premises excluding incidental signs, building marker signs, and flags shall not exceed the lesser of the following:</i>								
Zoning District	AG	RR-1 RR-2 R-1 R-2	R-3 MH	MU-1	MU-2	MU-3	LI	GI
Square Feet of Signage per Linear Foot of Frontage	N/A	N/A	N/A	1.0	2.0	2.0	2.0	2.0
Maximum Total Square Feet	Note 1	Note 2	Note 3	300 Note 4	600 Note 4	800	600 Note 5	600

Note 1: 100 square feet for civic or commercial uses, 4 square feet for residential uses.

Note 2: 32 square feet for civic uses, 4 square feet for residential uses.

Note 3: 75 square feet for project identification signs for multi-family or mobile home developments and for civic uses; 4 square feet for other residential uses.

Note 4: Maximum limits apply to non-residential premises only. On premises with a primary residential use, 75 square feet for project identification signs for multi-family developments, 4 square feet for other residential uses

Note 5: One Business Center Identification Sign with a maximum area of 150 square feet is permitted subject to the regulations set forth by Table 11-3.



TABLE 11-3: PERMITTED SIGNS BY NUMBERS, DIMENSIONS, AND LOCATION
Each individual sign shall comply with the regulations for maximum quantity, maximum size, minimum setbacks, and height limits shown in this table:

Zoning District	AG	RR-1 RR-2 R-1 R-2	R-3 MH	MU-1	MU-2	MU-3	LI	GI
<i>Detached Signs</i>								
Number Permitted								
Per Premise	1	1	1	1	1	1	N/A	N/A
Per Feet of Frontage	N/A	N/A	N/A	1 Per 300	1 Per 300	1 Per 200	1 Per 200	1 per 200
Maximum Size* (Sq. feet)	100*	32*	75*	75*	100*	100	200	200
Maximum Height (feet)	15	10	10	15	15	15	15	15
Front Yard Setback (feet)	25	5	10	10	10	0	0	0
Side Yard Setback (feet)	10	10	10	10	5	0	0	0
<i>Attached Signs</i>								
Maximum Size* (Sq. feet)	100	32*	75*	75	100	100	200	200
% of Street façade	N/A	N/A	N/A	20%	20%	20%	25%	25%

* For those uses only permitted a sufficient maximum sign area in Table 11-2.

Note 1: In addition to its total permitted sign area, each premises used for a business center may have one detached center identification sign, subject to the following conditions:

1. The maximum area for a center identification sign shall be 150 square feet.
2. No center identification sign shall be within 300 feet of any other center identification sign or within 150 feet of any other detached sign on the same or adjacent premises.
3. The sign shall display no more than the name and location of the business center.
4. Each sign shall be subject to all other regulations for detached signs or graphics set forth in this Article.

11.06 Specific Regulations For Zoning Districts

This section sets forth regulations and design standards for signs and graphics for each zoning district.

11.07 Measurement of Regulators

A. Maximum Permitted Sign Area

Maximum permitted sign area for premises is set forth as a numerical limit or as a function of the frontage of the premises on a street or private way. For properties with frontage on more than one street or private way, the total frontage shall be calculated as the longest frontage plus one-half the length of all additional frontages.

B. Sign Area:

1. Sign area includes the entire area within the perimeter enclosing the extreme limits of the sign, excluding any structure essential for support or service of the sign, or architectural elements of the building.
2. The area of double-faced signs is calculated on the largest face only.
3. The sign area for ground signs, monument signs, and architectural sign bands is calculated as the area enclosing the extreme limits of the copy only.
4. In the case of individual letters mounted to a wall, only the total area of the letters themselves is included within the sign area.

C. Height

The height of a sign is measured from the average grade level below the sign to the topmost point of the sign or sign structure.

D. Setback

The setback of a sign is measured from the property line to the supporting frame, or base of the sign.

11.08 Permitted Sign Types by Zoning Districts

Table 11-1 sets forth the sign types permitted within each zoning district of Douglas County.

11.09 Maximum Permitted Sign Areas

Table 11-2 sets forth the maximum sign area permitted within each zoning district of Douglas County.

11.10 Permitted Signs by Numbers, Dimensions and Location

Table 11-3 sets forth the maximum permitted numbers of signs per premise; the maximum permitted dimensions of each sign; and the required setbacks for detached signs.

11.11 General Permit Procedures

- A. **Applicability:** Any installation, modification, or expansion of any sign which is not exempt from the provisions of this Article shall be subject to the following permit procedure prior to installation.
- B. **Applications:** All applications for sign permits shall be submitted to the Zoning Coordinator in accordance with application specifications established by the Zoning Coordinator.
- C. **Fees:** Each application for a sign permit shall be accompanied by any applicable fees, which shall be established by the County Board from time to time by regulation.
- D. **Action:** within seven work days of the submission of a complete application for a sign permit, the Zoning Coordinator shall either:
 - 1. Issue the sign permit, if the sign conforms to the provisions of this Article.
 - 2. Reject the sign permit if the sign(s) that is the subject of the application fails in any way to conform with the requirements of this Article
- E. **Permit Expiration:** If a sign is not constructed in accordance with an approved permit within 90 days of the date of approval, such permit shall lapse.
- F. **Maintenance of Valid Sign Permit:** The owner of a property containing signs requiring a permit under this regulation shall at all times maintain in force a sign permit for such property. Sign permits shall be issued for individual zone lots, notwithstanding the fact that a particular zone lot may be included with other zone lots in a Common Signage Plan.
- G. **Assignment of Sign Permits:** A current and valid sign permit shall be freely assignable to a successor as owner of the property or holder of a business license for the same premises.

11.12 Repair or Modification of Nonconforming Signs

- A. Any nonconforming sign which presently is or becomes structurally damaged or deteriorated, or is altered by more than 50% of its replacement cost, shall be either removed or altered so as to comply with this Article.

- B. For business centers pre-existing on the effective date of this Regulation which do not conform to the total permitted sign area provisions of this Article, individual signs may be replaced, modified, or substituted prior to December 31, 2007. Each sign shall conform to the applicable regulations for individual signs and shall be installed so as to reduce the total amount of the nonconformance.

11.13 Discontinuance of Nonconforming Signs

Within any zoning district, all on-premise signage must comply fully with the provisions of the Regulation, unless otherwise provided, by December 31, 2007.